



## **SOLAR BMP 176**

**CAS No** : 1606 - 79 - 7

**CAS Nomenclature** : Propoxylated 2 - Butyne - 1, 4 - Diol

**Molecular Formula** :  $C_7H_{12}O_3$

**Typical Data** :

Appearance	Brown Clear liquid
Moisture content	2% max.
Concentration	98%min
Specific gravity (30°C)	1.080 - 1.105
pH (10% soln.)	7.5 to 10.5
Mol. Wt.	144

**Solubility** : Solar BMP 176 is miscible with water in all proportions.

**Application** : Solar BMP 176 is used to produce brightener additives for electroplating. It is mainly employed on account of it being a strong Class II brightener for Nickel.

**Safety** : There are no ill effects that could result from using this product for which it is intended and from processing it in accordance with current practice.

The information furnished is accurate to the best of our knowledge. The product does not exert any harmful effects on health provided it is utilised with due precautions.

**Disclaimer :**

Our recommendations are made in good faith and are based on our skills. However, since the conditions of use of these products are beyond our control, this information is given on the express condition and agreement that Grauer & Weil (India) Limited, will not be liable to any person by reason thereof. Nothing herein shall be deemed to be a recommendation to use any product in violation of any existing patent rights.

Issued on : 20.06.08

Supersedes all earlier issues